

For 1614 **ATTORNEY DOCKET NO. 50026/040002**

Certificate of Mailing: Date of Deposit: 128,2006

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated above and is addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Kathy Kirby

Printed name of person mailing correspondence

Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Ozawa et al.

Confirmation No.: 1072

Serial No.:

10/562,322

Art Unit:

1614

371 (c) Date:

May 9, 2006

Examiner:

Not yet assigned

Customer No.:

21559

Title:

METHOD FOR TRANSPLANTING LYMPHOHEMATOPOIETIC

CELLS INTO A MAMMAL

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the enclosed Form PTO-1449, copies of which are enclosed.

Submission of this statement is not a representation that a search has been made, nor is the inclusion of information in this statement an admission that the information is material to patentability.

WO 97/32971 is written in the Japanese language. An English language translation of this reference is enclosed.

This statement is being filed before the receipt of a first Office action on the merits.

If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 28 September 2006

Jan N. Tittel, Ph.D. Reg. No. 52,290

Clark & Elbing LLP 101 Federal Street Boston, MA 02110

Telephone: 617-428-0200 Facsimile: 617-428-7045

STANDENS Sheet _1_ of _5_ 50026/040002 Attorney Docket No. U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE SUBSTITUTE FORM PTO-1449 (MODIFIED) Serial No. 10/562,322 Applicant Ozawa et al. INFORMATION DISCLOSURE 371 (c) Date May 9, 2006 STATEMENT BY APPLICANT (Use several sheets if necessary) 1614 Group (37 C.F.R. § 1.98(b)) **IDS Filed** September 28, 2006

UCT 0 2 2006

U.S. PATENT DOCUMENTS								
Examiner's Initials		Document Number	Publication Date		Patentee or Applicant	Class	Subclass	Filing Date (If Appropriate)
		FOREI	GN PATENT OR I	PUBLI	SHED FOREIGN PATENT APPL	ICATION		
Examiner's Initials	ſ	Document Number	Publication Date		Country or Patent Office	Class	Subclass	Translation (Yes/No)
	wc	97/32971 A1	September 12, 1	1997	WIPO		:	Yes
		OTHER DOCU	MENTS (INCLUDI	NG AL	JTHOR, TITLE, DATE, PLACE O	F PUBLICA	ATION)	
					diated Transfer of the Multidrug F topoietic Stem Cells," Nat. Med. 6			Autologous
	Aiuti et al., "Correction of ADA-SCID By Stem Cell Gene Therapy Combined With Nonmyeloablative Conditioning," Science 296(5577):2410-2413 (2002).					ative		
	Allay et al., "In Vivo Selection of Retrovirally Transduced Hematopoietic Stem Cells, " Nat. Med. 4(10):1136-1143 (1998).				4(10):1136-1143			
	Blau et al., "A Proliferation Switch For Genetically Modified Cells, " <i>Proc. Natl. Acad. Sci.</i> USA 94(7):3076-3081 (1997).				4(7):3076-3081			
	Borge et al., "Ability of Early Acting Cytokines to Directly Promote Survival and Suppress Apoptosis of Human Primitive CD34* CD38* Bone Marrow Cells With Multilineage Potential at the Single-Cell Level: Key Role of Thrombopoietin," <i>Blood</i> 90(6):2282-2292 (1997).				osis of Human Key Role of			
	Bowman et al., "Myeloablation is Not Required to Select and Maintain Expression of the Drug-Resistance Gene, Mutant MGMT, in Primary and Secondary Recipients," <i>Mol. Ther.</i> 8(1):42-50 (2003).					esistance Gene,		
	Brandt et al., "Safety and Efficacy of Erythropoietin in Children with Chronic Renal Failure, " <i>Pediatr. Nephrol.</i> 13(2):143-147 (1999).					liatr. Nephrol.		
	Cavazzana-Calvo et al., "Gene Therapy of Human Severe Combined Immunodeficiency (SCID)-X1 Disease," <i>Science</i> 288(5466):669-672 (2000).				-X1 Disease,"			
					Accounts For Phlebotomy-induced 4):425-431 (2001).	d Changes	in Erythropo	ietin

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	n if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50026/040002
(MODIFIED)		Serial No.	10/562,322
INICORMATI	ON DICOLOCUEE	Applicant	Ozawa et al.
STATEMEN	ON DISCLOSURE T BY APPLICANT	371 (c) Date	May 9, 2006
(Use several s	sheets if necessary)	Group	1614
(37 C.F.R. § 1.98(b))		IDS Filed	September 28, 2006

 <u> </u>
Davis et al., "Selection for G156A 0 ⁶ -Methylguanine DNA Methyltransferase Gene-transduced Hematopoietic Progenitors and Protection From Lethality in Mice Treated with O ⁶ -Benzylguanine and 1,3-Bis(2-chloroethyl)-1-nitrosourea," <i>Cancer Res.</i> 57(22):5093-5099 (1997).
Dunbar et al., "Retrovirally Marked CD34-Enriched Peripheral Blood and Bone Marrow Cells Contribute to Long-Term Engraftment After Autologous Transplantation," <i>Blood</i> 85(11):3048-3057 (1995).
Dunbar et al., "Retroviral Transfer of the Glucocerebrosidase Gene into CD34* Cells From Patients With Gaucher Disease: <i>In Vivo</i> Detection of Transduced Cells Without Myeloablation," <i>Hum. Gene Ther.</i> 9(17):2629-2640 (1998).
Haase et al., "Amplification and Detection of Lentiviral DNA Inside Cells," Proc. Natl. Acad. Sci. USA 87(13):4971-4975," (1990).
Hacein-Bey-Abina et al., "LMO2-Associated Clonal T Cell Proliferation in Two Patients After Gene Therapy For SCID-X1," Science 302(5644):415-419 (2003).
Hanania et al., "Results of MDR-1 Vector Modification Trial Indicate That Granulocyte/Macrophage Colony- forming Unit Cells Do Not Contribute to Posttransplant Hematopoietic Recovery Following Intensive Systemic Therapy," <i>Proc. Natl. Acad. Sci.</i> USA 93(26):15346-15351 (1996).
Hanazono et al., "In Vivo Selective Expansion of Gene-modified Hematopoietic Cells in a Nonhuman Primate Model," Gene Ther. 9(16):1055-1064 (2002).
Hanenberg et al., "Colocalization of Retrovirus and Target Cells on Specific Fibronectin Fragments Increases Genetic Transduction of Mammalian Cells," <i>Nat. Med.</i> 2(8):876-882 (1996).
Hara et al., "Expansion of Genetically Corrected Neutrophils in Chronic Granulomatous Disease Mice By Cotransferring a Therapeutic Gene and a Selective Amplifier Gene," <i>Gene Ther.</i> 11(18):1370-1377 (2004).
Hawley et al., "Versatile Retroviral Vectors For Potential Use in Gene Therapy," Gene Ther. 1(2):136-138 (1994).
Heim et al., "Introduction of a Xenogeneic Gene Via Hematopoietic Stem Cells Leads to Specific Tolerance in a Rhesus Monkey Model," <i>Mol. Ther.</i> 1(6):533-544 (2000).
Hematti et al., "Retroviral Transduction Efficiency of G-CSF+SCF-Mobilized Peripheral Blood CD34* Cells is Superior to G-CSF or G-CSF+Flt3-L-Mobilized Cells in Nonhuman Primates," <i>Blood</i> 101(6):2199-2205 (2003).
Horn et al., "Highly Efficient Gene Transfer into Baboon Marrow Repopulating Cells Using GALV-pseudotype Oncoretroviral Vectors Produced by Human Packaging Cells," Blood 100(12):3960-3967 (2002).
Horsfall et al., "Combination of Stem Cell Factor and Granulocyte Colony-stimulating Factor Mobilizes the Highest Number of Primitive Haemopoietic Progenitors as Shown By Pre-colony-forming Unit (pre-CFU) Assay," Br. J. Haematol. 109(4):751-758 (2000).
Huang et al., "In Vivo Transfection of Testicular Germ Cells and Transgenesis by Using the Mitochondrially Localized Jellyfish Fluorescent Protein Gene," <i>FEBS Lett.</i> 487(2):248-251 (2000).

EXAMINER	DATE CONSIDERED

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	50026/040002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/562,322
		Applicant	Ozawa et al.
STATEMENT	ON DISCLOSURE BY APPLICANT	371 (c) Date	May 9, 2006
(Use several si	heets if necessary)	Group	1614
(37 C.F.R. § 1.98(b))		IDS Filed	September 28, 2006

	 "'
	Huhn et al., "Retroviral Marking and Transplantation of Rhesus Hematopoietic Cells by Nonmyeloablative Conditioning," <i>Hum. Gene Ther.</i> 10(11):1783-1790 (1999).
,	Itri, "The Use of Epoetin Alfa in Chemotherapy Patients: A Consistent Profile of Efficacy and Safety," Semin. Oncol. 29(3):81-87 (2002).
	Jin et al., "In Vivo Selection Using a Cell-growth Switch, " Nat. Genet. 26(1):64-66 (2000).
	Kaushansky, "Keynote Address: MPL and the Hematopoietic Stem Cell," Leukemia 16(4):738-739 (2002).
	Kelly et al., "Prolonged Multilineage Clonal Hematopoiesis in a Rhesus Recipient of CD34 Positive Cells Marked with a RD114 Pseudotyped Oncoretroviral Vector," <i>Blood Cells Mol. Dis.</i> 30(1):132-143 (2003).
	Kimura et al., "Hematopoietic Stem Cell Deficiencies in Mice Lacking c-Mpl, the Receptor for Thrombopoietin," <i>Proc. Natl. Acad. Sci.</i> USA 95(3):1195-1200 (1998).
	Kirby et al., "Proliferation of Multipotent Hematopoietic Cells Controlled by a Truncated Erythropoietin Receptor Transgene," <i>Proc. Natl. Acad. Sci.</i> USA 93(18):9402-9407 (1996).
	Kralovics et al., "Absence of Polycythemia in a Child with a Unique Erythropoietin Receptor Mutation in a Family with Autosomal Dominant Primary Polycythemia," <i>J. Clin. Invest.</i> 102(1):124-129 (1998).
	Krosl et al., "Interleukin-3 (IL-3) Inhibits Erythropoietin-induced Differentiation in Ba/F3 Cells Via the IL-3 Receptor α Subunit," <i>J. Biol. Chem.</i> 271(44):27432-27437 (1996).
	Kume et al., "In Vivo Expansion of Transduced Murine Hematopoietic Cells with a Selective Amplifier Gene," J. Gene Med. 5(3):175-181 (2003).
	Kushida et al., "Comparison of Bone Marrow Cells Harvested from Various Bones of Cynomolgus Monkeys at Various Ages by Perfusion or Aspiration Methods: A Preclinical Study for Human BMT," Stem Cells 20(2):155-162 (2002).
	Livnah et al., "Crystallographic Evidence for Preformed Dimers of Erythropoietin Receptor Before Ligand Activation," Science 283(5404):987-990 (1999).
	Macdougall, "Novel Erythropoiesis Stimulating Protein," Semin. Nephrol. 20(4):375-381 (2000).
	Malech et al., "Prolonged Production of NADPH Oxidase-corrected Granulocytes After Gene Therapy of Chronic Granulomatous Disease," <i>Proc. Natl. Acad. Sci.</i> USA 94(22):12133-12138 (1997).
	Matsuda et al., "Development of a Modified Selective Amplifier Gene for Hematopoietic Stem Cell Gene Therapy," <i>Gene Ther</i> . 6(6):1038-1044 (1999).
	Mazurier et al., "Rapid Myeloerythroid Repopulation After Intrafemoral Transplantation of NOD-SCID Mice Reveals a New Class of Human Stem Cells," <i>Nat. Med.</i> 9(7):959-963 (2003).
	Moscow et al., "Engraftment of MDR1 and NeoR Gene-Transduced Hematopoietic Cells After Breast Cancer Chemotherapy," <i>Blood</i> 94(1):52-61 (1999).

EXAMINER	DATE CONSIDERED	•
EXAMINER: Initial citation considered. Draw line through citation	if not in conformance and not considered	Include copy of this

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	50026/040002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/562,322
INICODMATIC	ON DICOLOCUDE	Applicant	Ozawa et al.
STATEMEN'	DN DISCLOSURE T BY APPLICANT Theets if necessary)	371 (c) Date	May 9, 2006
(Ose several s	neets ii necessary)	Group	1614
(37 C.F.R. § 1.98(b))		IDS Filed	September 28, 2006

Nagashima et al., "New Selective Amplifier Genes Containing c-Mpl for Hematopoietic Cell Expansion," <i>Biochem. Biophys. Res. Commun.</i> 303(1):170-176 (2003).		
Nagashima et al., "In Vivo Expansion of Gene-modified Hematopoietic Cells by a Novel Selective Amplifier Gene Utilizing the Erythropoietin Receptor as a Molecular Switch," J. Gene Med. 6(1):22-31 (2004).		
Nakamura et al., "Enhancement of Allogeneic Hematopoietic Stem Cell Engraftment and Prevention of GvHD by Intra-Bone Marrow Bone Marrow Transplantation Plus Donor Lymphocyte Infusion," Stem Cells 22(2):125-134 (2004).		
Neff et al., "Pharmacologically Regulated In Vivo Selection in a Large Animal," Blood 100(6):2026-2031 (2002).		
Oishi et al., "Evaluation of Phlebotomy-Induced Erythropoietin Production in the Dog," J. Vet. Med. Sci. 55(1):51-58 (1993).		
Pear et al., "Production of High-titer Helper-free Retroviruses by Transient Transfection," <i>Proc. Natl. Acad. Sci.</i> USA 90(18):8392-8396 (1993).		
Plett et al., "In Vivo Trafficking, Cell Cycle Activity, and Engraftment Potential of Phenotypically Defined Primitive Hematopoietic Cells After Transplantation into Irradiated or Nonirradiated Recipients," <i>Blood</i> 100(10):3545-3552 (2002).		
Ragg et al., "Direct Reversal of DNA Damage by Mutant Methyltransferase Protein Protects Mice Against Dose-intensified Chemotherapy and Leads to <i>In Vivo</i> Selection of Hematopoietic Stem Cells," <i>Cancer Res.</i> 60(18):5187-5195 (2000).		
 Remy et al., "Erythropoietin Receptor Activation by a Ligand-Induced Conformation Change," <i>Science</i> 283(5404):990-993 (1999).		
Richard et al., "Expansion of Genetically Modified Primary Human Hemopoietic Cells Using Chemical Inducers of Dimerization," <i>Blood</i> 95(2):430-436 (2000).		
Riddell et al., "T-Cell Mediated Rejection of Gene-modified HIV-specific Cytotoxic T Lymphocytes in HIV-infected Patients," <i>Nat. Med.</i> 2(2):216-223 (1996).		
Rosenzweig et al., "Effcient and Durable Gene Marking of Hematopoietic Progenitor Cells in Nonhuman Primates After Nonablative Conditioning," <i>Blood</i> 94(7):2271-2286 (1999).		
 Rosenzweig et al., "Induction of Cytotoxic T Lymphocyte and Antibody Responses to Enhanced Green Fluorescent Protein Following Transplantation of Transduced CD34* Hematopoietic Cells," <i>Blood</i> 97(7):1951-1959 (2001).		
Sawai et al., "Protection and <i>In Vivo</i> Selection of Hematopoietic Stem Cells Using Temozolomide, O ⁶ -Benzylguanine, and an Alkyltransferase-Expressing Retroviral Vector," <i>Mol. Ther.</i> 3(1):78-87 (2001).		
Schmidt et al., "Clonality Analysis After Retroviral-mediated Gene Transfer to CD34* Cells From the Cord Blood of ADA-deficient SCID Neonates," <i>Nat. Med.</i> 9(4):463-468 (2003).		

EXAMINER	DATE CONSIDERED			
EXAMINER: Initial citation considered. Draw line through citation	if not in conformance and not considered. Include conv of this			

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50026/040002
(MODIFIED)		Serial No.	10/562,322
INFORMATIO	ON DISOLOSI IDE	Applicant	Ozawa et al.
STATEMEN	ON DISCLOSURE T BY APPLICANT sheets if necessary)	371 (c) Date	May 9, 2006
(Use several s	ineets in necessary)	Group	1614
(37 C.F.R. § 1.98(b))		IDS Filed	September 28, 2006

Schuurman et al., "Pharmacokinetics of Cyclosporine in Monkeys After Oral and Intramuscular Administration: Relation to Efficacy in Kidney Allografting," <i>Transpl. Int.</i> 14(5):320-328 (2001).
Shibata et al., "Collection and Analysis of Hematopoietic Progenitor Cells From Cynomolgus Macaques (Macaca fascicularis): Assessment of Cross-Reacting Monoclonal Antibodies," <i>Am. J. Primatol.</i> 61(1):3-12 (2003).
Shikama et al., "A Constitutively Activated Chimeric Cytokine Receptor Confers Factor-Independent Growth in Hematopoietic Cell Lines," <i>Blood</i> 88(2):455-464 (1996).
Takatoku et al., "Identification of Functional Domains of the Human Thrombopoietin Receptor Required for Growth and Differentiation of Megakaryocytic Cells," <i>J. Biol. Chem</i> 272(11):7259-7263 (1997).
Takatoku et al.,"Avoidance of Stimulation Improves Engraftment of Cultured and Retrovirally Transduced Hematopoietic Cells in Primates," <i>J. Clin. Invest.</i> 108(3):447-455 (2001).
Ueda et al., "A Novel Hematopoietic Stem Cell Gene Therapy Method Without Marrow Conditioning by Intra- Bone Marrow Transplantation Combined with Selective Amplifier Gene," <i>Blood</i> 102(11):200a-201a (#701) (2003).
Ueda et al., "High-Level In Vivo Gene Marking After Gene-Modified Autologous Hematopoietic Stem Cell Transplantation Without Marrow Conditioning in Nonhuman Primates," <i>Mol. Ther.</i> 10(3):469-477 (2004).
Wang et al.,"SCID-repopulating Cell Activity of Human Cord Blood-derived CD34 ⁻ Cells Assured by Intra-bone Marrow Injection," <i>Blood</i> 101(8):2924-2931 (2003).
Wrighton et al., "Small Peptides As Potent Mimetics of the Protein Hormone Erythropoietin," <i>Science</i> 273(5274):458-463 (1996).
Xu et al., "A Selective Amplifier Gene for Tamoxifen-Inducible Expansion of Hematopoietic Cells," <i>J. Gene Med.</i> 1(4):236-244 (1999).
Yahata et al., "A Highly Sensitive Strategy for SCID-repopulating Cell Assay by Direct Injection of Primitive Human Hematopoietic Cells into NOD/SCID Mice Bone Marrow," <i>Blood</i> 101(8):2905-2913 (2003).
Zeng et al., "Receptor Specificity in the Self-renewal and Differentiation of Primary Multipotential Hemopoietic Cells," <i>Blood</i> 98(2):328-334 (2001).
Zhong et al., "Murine Hematopoietic Stem Cell Distribution and Proliferation in Ablated and Nonablated Bone Marrow Transplantation," <i>Blood</i> 100(10):3521-3526 (2002).

KAMINER	DATE CONSIDERED
---------	-----------------